

भा.कृ.अनु.प. – केन्द्रीय कृषिरत महिला संस्थान, भुवनेश्वर ICAR - CENTRAL INSTITUTE FOR WOMEN IN AGRICULTURE

(ISO 9001:2015 Certified)

Bhagyashri Road, Near Kalinga Studio Chowk, Baramunda, Bhubaneswar - 751003, Odisha Phone: 0674-2387220, E-mail: director.ciwa@icar.gov.in, Web: https://icar-ciwa.org.in

F. No: IX-11015/25/24-Admn / 888.

Date: 12-11-2025

NOTICE INVITING LIMITED TENDER

Sub: Limited Tender Enquiry for Renovation of the Toilet and Pantry of Room No. 116 at ICAR-CIWA. **Bhubaneswar**

(Note: The envelope containing the tender as well as subsequent communications should be addressed and delivered to" The Director, ICAR-CIWA, Plot 50-51, Near Kalinga Studio Chowk, Baramunda Post, Bhubaneswar – 751003". All communications must be addressed to the officer named above by title only and not by name.)

To, The Prospective Bidder

Madam/Sir(s),

Sealed tenders are invited by post/per bearer from the selected CPWD-enlisted Contractors for execution of work- Renovation of the Toilet and Pantry of Room No. 116 at ICAR-CIWA, Bhubaneswar as per categories/specifications and/or quantities detailed in the Schedules/Specifications (Annexure-II) attached.

The "Tender Documents" comprising:-

- 1. Annexure-I(General and Special Terms & Conditions)
- 2. Annexure-II (Scope of Work/Schedule of Work)
- 3. Annexure-IIA (List of Approved Items)
- 4. Annexure-III to VII (Checklist of Documents to be submitted and Performa)

You are requested to quote for the contract in accordance with the requirements stated in the attached schedule as per the terms and conditions stated and submit your quotation to this office by end time/date specified in the tender document. The tender documents are attached herewith.

Tenderer are requested that, before quoting their rates or sending tender, the tender forms may please be read out thoroughly (line by line) so as to have a clear knowledge of the requirement contained therein, otherwise purchaser will not be held responsible for any error/oversight of his own and the penalties shall be levied for not complying with the requirements stated herein or supply of the required item/services.

The duly filled in tender application along with duly signed Technical and Price Bid shall be submitted in a single envelope. For details please see general terms & conditions.

The Director, ICAR-CIWA does not pledge to accept the lowest or any tender and reserves the right to accept or reject the whole or any part of the tender without assigning any reason thereof. Canvassing in any form by the tenderer or his representative with any of the officials of ICAR-CIWA shall render the tender liable to be rejected.

> -sd/-(Administrative Officer) ICAR-CIWA, Bhubaneswar

GENERAL TERMS AND CONDITIONS

Scope of work: Renovation of the Toilet and Pantry of Room No. 116 at ICAR-CIWA, Bhubaneswar.

Tender Schedule

1.	Issue of Tender Documents (By E-Mail/Post/In-person)	12-11-2025
2.	Last date of submission of duly filled intender form	18-11-2025 by 02:00 PM
3.	Date of Opening of Bid	18-11-2025 by 03:30 PM
4.	Earnest Money Deposit	Not Applicable
5.	Security Deposit	3% (three percent)of the Bid value, rounded off to the nearest rupee after award of contract.

Submission of Bid

The bidders are requested to:

- 1. Enclose the duly signed tender documents
- 2. Enclose the duly filled in financial bid.

Bidder shall put all the documents as stated above in a big envelope and super scribe with "Limited Tender Enquiry - Renovation of the Toilet and Pantry of Room No. 116 at ICAR-CIWA, Bhubaneswar" on the top of the envelope. Envelopes without proper details on the cover page will be summarily rejected. This envelope shall be deposited in the tender box earmarked for the purpose in the Office of The Director, ICAR-CIWA, Bhubaneswar on or before the last date as specified in the schedule of the tender documents. Interested bidder may quote the rate for each item of works. The supplier will be selected based on the lowest total quote.

Tender must reach this office not later than the time and date notified in the tender form stated in the schedule of tender. In the event of tender received after scheduled date and time, the tender will not be allowed in bidding and it will be rejected summarily.

- i. All entries in the Tender form shall be legible and entries should be printed in simple font. Any overwriting or cutting, which is unavoidable, shall be signed by the authorized signatory.
- ii. Tender incomplete in any form will be rejected out rightly. Conditional Tenders will be rejected out rightly.
- iii. No Tenderer will be allowed to withdraw the Bid after submission of the tenders within the bid validity period; otherwise the tenderer will be barred for participating in any limited tender of ICAR-CIWA
- iv. Each page of the Tender document shall be signed and stamped by authorized representative of Tenderer in token of acceptance of the terms and conditions laid under the Tender Document.
- v. The financial bid & technical bid received without the signature of authorized person will not be entertained and will be rejected summarily.
- vi. The rates quoted in financial bid shall be in Indian currency and as per details furnished in Financial bid
- vii. **Opening of Bid:** The Tender will be opened at prescribed time in the presence of such tenderers or their authorized representatives who may choose to be present at the time of opening of technical bid.
- viii. **Selection of Eligible Tenderer:** The selection of successful bidder shall be made on the lowest rate offered by the bidder keeping in the view of terms & conditions and specification laid under tender document.

Note: It may be noted that before quoting the rate, the bidders are encouraged to inspect the premises of ICAR-CIWA and assess the proposed work themselves.

- ix. **Rights of Acceptance/Rejection:** The Director, ICAR-CIWA, Bhubaneswar reserves the right to reject all or any tender in whole, or in part, without assigning any reason thereof.
- x. **Validity of tender:** The rate quoted in the financial bid shall be valid for three months from the date of opening of the tender.
- xi. Acceptance of Bid: The successful bidder shall give acceptance within 03 days &shall deposit performance security within 07 days from award of work order and required to enter into an agreement with ICAR-CIWA for execution of the awarded work
- xii. In case, if successful bidder fails to give acceptance or deposit performance security deposit or enter into agreement within stipulated time, the award of contract will be deemed to be cancelled and the tenderer will be blacklisted for participating in future tenders.

SPECIAL TERMS AND CONDITIONS

1. SECURITY DEPOSIT/PERFORMANCE SECURITY:

On acceptance of the tender, within the period specified by The Director, ICAR-CIWA, Bhubaneswar, the successful Tenderer /contractor shall deposit a sum equivalent mentioned above. This has tobe in the form of bank draft, drawn in any of the nationalized banks in favour of ICAR Unit- DRWA, Account Number-10478302130, IFSC code-SBIN0009027, Name of the Bank- State Bank of India, Priyadarshini Market Branch, Branch code- 9027 (Cheque/Cash will not be accepted) for this purpose.

On due performance and successful completion of the contract i.e. 60 (Sixty) days from the supply of the items in question in all respect, the security money deposit shall be returned to the contractor without any interest on presentation of an absolute 'No Demand Certificate' in the prescribed form and upon return in good condition of any specifications, samples or other property belonging to the purchaser, which may have been issued to the contractor.

If the contractor fails in fulfilling the terms and conditions mentioned here in different parts of this tender document, such failure will constitute a breach of the contract and The Director, ICAR-CIWA, Bhubaneswar shall be entitled to make other arrangements at the risk and expense of the contractor, Also non-performance/unsatisfactory performance or violation of terms and condition of the contract will make the contractor liable for forfeiture of security deposit. The decision of The Director, ICAR-CIWA, Bhubaneswar shall be final and binding on this count.

2. **DELIVERY TERMS**:

Time and date of delivery: The time and the date of execution of work as stipulated in the schedule shall be deemed to be the essence of contract and delivery/execution must be completed not later than the date(s) specified. The delivery of the stores/execution of work/providing the services etc. are required within a period as specified in the work order and as the place mentioned therein. In case of non-conformity, the work shall be rejected ought-rightly at risk and cost of the bidder and may attract penal action against the bidder including forfeiture of the Security Deposit.

In case this office does not receive work completion intimation, by due or extended date of delivery, the above stated order will stand CANCELLED, unless extension is sought for and granted by the competent authority for the late execution. In such cases, execution of proposed work will be made at the meanderer's RISK &COST without his/her consent and correspondence in these regards. The competent authority reserves the right to recover the difference of excess expenditure so incurred from the tender's incoming bills or otherwise in addition to forfeiting the security deposit money deposited by the tenderer. But if the delay shall have arisen from any cause, such as strikes, lockouts, fire accidents, riots, etc., which, The Director, ICAR-CIWAmay admit it as reasonable ground for further time, and may allow such additional time required by circumstances of the case.

3. PAYMENT TERMS:

100% Payment will be made only after completion of the work assigned and satisfactory

certification from the in-house verification team. No advance will be entertained under any circumstances.

- 4. **Responsibility for executing Contract**: The tenderer is to be entirely responsible for the execution of the contract in all respects in accordance with the terms and conditions as specified in the acceptance of tender.
 - The tenderer shall not sublet transfer or assign the contract to any part thereof without the written permission of The Director, ICAR-CIWA. In the event of the contractor contravening this condition, The Director, ICAR-CIWA shall be entitled to place the contract elsewhere on the contractors account and the contractor shall be liable for any loss or damage, which The Director, ICAR-CIWA, may sustain inconsequence or arising out of such replacing of the contract.
- 5. Recovery of sums due: Whenever any claim for the payment of a sum of money arises out of or under this contract against the tenderer, The Director, ICAR-CIWA shall be entitled to recover of such sum by appropriating, in part or whole the security/earnest money deposited by the contractor, when the balance or the total sum to be recoverable, as the case may be shall be deducted from any sum then due or which at any time thereafter money become due to recoverable under this or any other contract with the purchaser. Should this sum not be sufficient to cover the full amount recoverable, the contractor shall pay to ICAR-CIWA on demand the remaining balance due.
- 6. **Insolvency and breach of contract:** The Director may at any time by notice in writing summarily terminate the contract without compensation to the contractor in any of the following events, that is to say:
 - a. If the contractor being at individual or if firm, any partner in the contractor's firm, shall at any time be adjusted insolvent or shall have a receiving order or orders for administration of his estate made against him or shall take any proceedings for liquidation or composition under nay insolvency not for the time being in force or shall make any convenience or assignment of his efforts or enter into any arrangements of composition with hiscreditorsorsuspendpaymentofifthefirmbedissolvedunderpartnershipact, or
 - b. If the contractor being a company shall pass a resolution or the court shall make an order for the liquidation of the affairs or a receiver of Manager on behalf of the debenture holder shall be appointed or circumstances shall have arisen which entitled the court or debenture holders to appoint a receiver or Manager.
 - c. If the contract commits any breach of this contract not herein specifically proved for: Providedalwaysthatsuchdeterminationshallnotprejudiceanyrightofactionorremedy which shall have accrued or shall accrue thereafter to the purchaser and provided also that the contractor shall be liable to pay the purchaser for any extra expenditure, he is thereby put to but shall not be entitled to any gain on repurchased.
- 7. Arbitration: In the event of any question, dispute or difference arising under these conditions or any special conditions of the contract, or in connection with this contract, except as to any matter the decision of which is specially provided for by these on the special conditions, the same shall be referred to the sole arbitration as appointed by the Director. The award of the arbitrator shall be final and binding on the parties to the contract.
 - In the event of his denying, neglecting or refusing to act, being unable to act, for any reason, it shall be lawful for the Director either to proceed with the reference on own accord or to appoint another person as arbitrator in place of the outgoing arbitrator. Upon every and such reference, the assessment of the costs incidental to the reference and award respectively shall be in the discretion of the arbitrator.

Subject as aforesaid the Arbitration Act, 1940 and the rules there under and any statutory modifications thereof for the time being in force shall be deemed to apply to the arbitrator proceedings under this clause. Work under the contractor shall, if reasonable possible continue during the arbitration proceeding and no payment due to payable by the purchaser shall be withheld on account of proceeding. The venue of arbitration shall be at Bhubaneswar, Odisha.

- 8. <u>Document:</u> The tenderer should have a valid Trade license/Registration and PAN/TAN/other statutory document as applicable and produce attested copies of such certificates along with the tender papers in Price Bid, failing which the tender is liable to be rejected.
- 9. <u>Right to accept/reject</u>: The Director reserves the right to reject any or all tender without assigning any reason whatsoever. Also the Director reserves the right to award any or part or full contract to any successful agency at its discretion and this will be binding on the tenderer.
- 10. The quantity or quantum of work shown in the tender can be increased or decreased to any extent depending upon the actual requirement.
- 11. <u>Assistance to contractor</u>: The tenderer shall not be entitled to assistance either in the procurement of raw materials required for the fulfillment of the contract or in the securing of transport facilities.
- 12. In case of failure to comply with the provisions of the terms and conditions mentioned, by the agency that has been awarded the contract, the Director reserves the right to award the contract to the next higher tenderer or outside agency and the difference of price will be recovered from the defaulter agency who has been awarded the initial contract and this will be binding on the tenderer.
- 13. The Director, ICAR-CIWA does not pledge himself to accept the lowest or any Tender and reserve to herself the right of accepting the whole or any part of the tender or portion of the quantity offered and the tenderer shall supply the same/execute the work at the rate quoted.
- 14. <u>Failure and Termination</u>: If the contractor fails to execute the work thereof within the period prescribed in the contract, the Director may without prejudice to the right of contractor may recover damages for breach of the contract.

To recovery from the contractor as agreed liquidated damages, and not by way of penalty a sum equivalent to 0.5% of the contract value, for each week of delay in completing the work, where delivery thereof is accepted after expiry of the aforesaid period.

15. INSPECTION/INSTALLATION OF ITEMS:

Supplies/Work executed shall be accepted and work shall be certified as completed subject to satisfactory and complete installation (up to full potentials claimed for that respective item) of items supplied including supply of all accessories, and certified by the assigned officer, and subsequent inspection by the Director, ICAR-CIWA or his assigned representative. Any defect found in the materials/items supplied/work done will render the supplies/work open to rejection and decision of the Director,ICAR-CIWA,shallbefinalandlegallybinding.Thetenderersshallhaveto take the same (rejected store) back at their own cost and risk, and shall replace such rejections with the items of standard specifications/ quality as acceptable to ICAR-CIWA. Alternatively ,the assigned work may be executed through others, at the risks and costs of the tenderer, at the discretion of the Competent Authority.

16. Rejection:

Any item which fails conformity with specification will be rejected outrightly and it shall be replaced immediately at the risk and cost of the supplier.

SCOPE OF WORK/SCHEDULE OF WORK

	Renovation of the Toilet and Pantry of Room No. 11	.6 at ICAR	-CIWA, B	hubaneswa	r.
SI.			Qua		
No.	Civil work	Unit	ntity	Rate	Amount
	Flyash brick work with flyash bricks having				
	crushing strength not less than 75 kg/cme2 in				
1	cement mortar (1:4) in super structure	Cu.m	9		
	Providing 12 mm thick cement plaster with			, i	
	C.M. (1.4) including cost, conveyance,				
	royalties, taxes all labour, materials T&P etc all				
2	complete as per specification and direction of	0 - 4	4000		
2	Engineer-in-charge.	Sq.ft	1000		
	Supplying all labour, materials, T&P for rigid				
	and smooth centering and shuttering for				
	R.C.C. works including false works and				
2	dismantling them after casting including cost of	C	4 5		
3	materials complete.	Cu.m	4.5		
4	False ceiling (Bath room & corridor) Supplying all labour, materials, T&P for rigid	Sq.ft	784		
	, , , , , , , , , , , , , , , , , , , ,				
	and smooth centering and shuttering for C.C.1 ¹ / ₂ works including false works and				
	dismantling them after casting including cost of				
5	materials	Cu.m	4		
6	U pvc lovers in toilet	Sq.ft	11		
0	Providing & Finishing plastered surfaces of	Sq.it	1.1		
	walls with Berger Synthetic putty (interior) &				
	marking smooth to receive painting including		:		
	cost conveyance of all materials complete as				
7	per specification & direction of Engineer	Sq.ft	5586		
	Providing plastic emulsion painting two coats	_ oq.n	3333		
	of approved shade of walls including cost				
	conveyance of all materials as per				
	specification and direction of Engineer-in-			:	
8	charge	Sq.ft	2734		
9	Door closer	Nos.	4		
	Supplying fitting fixing 5nos M.S. Grill in rafter				
	purlin including cost of Director Cell & Meeting				
10	Hall complete.	kg	120		
11	Brass Handle 2 door	Nos.	2		
12	WPC Door (PS Room and Toilet)	Nos.	2		
13	Door polish	Nos.	8		
	Supplying all labour, T&P and dismantling,				
	removing old tiled flooring including removing				
	the base coarse and stacking the useful				
	materials for reuse and removing the debris				
	within 50m lead etc, all complete as per				
	specification & direction of Engineer-in-				
	Charge.				
	4.50x3.00		13.50		
	0.90*0.30		0.27		
14	Total	Sq.m	13.77		

				· · · · · · · · · · · · · · · · · · ·	
	Supplying all labour, T&P and dismantling and				
	removing old tiled cladding from walls				
	including racking out joints 12mm deep, stacking the useful materials for reuse and removing the debris within 50 m lead etc all				
				٠	
	complete as per specification and direction of				
	the Engineer in charge.				
	2x(4.50+3.00)x2.10		31.50		
	2x1.80x0.30		1.08		
	1.80x0.90		-1.62		
15	Total	Sq. m	30.96		
	Supplying all materials labour T&P and 12mm	<u> </u>	00.00		
	thick cement plaster in C.M. (1:4) over brick				
	work to inside surfaces including cost of				
	materials, with taxes, royalties, transportation,	:			
	all labours, T&P etc. all complete as per the				
	direction of Engineer-in-charge				
16		0.000	30.96		
10	Qty same as in item No-15-	sqm	3U.90		
	Supplying all materials, labour, T&P and				
	cement concrete 1:2:4 with 12mm size				
	C.B.H.G. chips including all cost, conveyance,				
	royalty, taxes etc.all complete as per				
	specification and direction of Engineer-in-				
	charge.				
47	Qty. same as in Item No14 -	sqm	4 00		
17	Qty- 13.77 Sqm x 0.10m =	Cum	1.38		
	Supplying all materials, labour and T&P for				
	cutting grooves in pucca floor and walls for				
	taking P.V.C./ UPVC/ CPVC pipes and fittings				
10	and making good to the damages all complete		45.00		
18	as per specification.	metre	15.00		
19	Providing & fixing to wall or ceiling and floor				
	UPVC pipes class confirming to UPVC ASTM				
	Standard (Sch-80) and pipe fittings of the				
	following nominal bore with clamps including				
	making good the wall, ceiling & floor all				
	complete as per specification, all complete.				
	a) 20mm dia CPVC Pipe	metre	18.00		
	b) 20mm dia CPVC Brass Female				
	Threaded Elbow	Unit	6		
	c) 20mm dia CPVC Female Threaded	Unit			
	Tee		2		
	d) 20mm dia CPVC Brass Male	Unit			
	Threadede Adaptor		4		
	e) 20mm dia CPVC Brass Female	Unit			
	Threadede Adaptor		4		
	f) 25mm dia UPVC ASTM (Sch-80) pipe	metre	24.00		
	g) 50mm dia UPVC ASTM (Sch-80) pipe	metre	14.00		
	h) 40mm UPVC-ASTM Ball Valve (PTMT)	Unit	2		
	i) 25mm UPVC-ASTM Ball Valve (PTMT)	Unit	4		
	j) 25mm PVC Ball Cock with Rod & Ball	Unit			
	(PTMT)		1	and the second s	
	i) 25mm UPVC-ASTM Ball Valve (PTMT)j) 25mm PVC Ball Cock with Rod & Ball	Unit	4		
L	(FINI)	1	<u> </u>		

20 Supplying all materials, labour, T&P for fittings, fixing of jointless ceramic Floor tile of size 600mm x 600mm x 600mm x 800mm with application of cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. (Gold Category, Digital Prints Matching Floor Tile, (Premium Quality) Qty same as in item No-14- 21 Supplying all materials, labour, T&P for fittings, fixing of digital ceramic wall tile of size 300mm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15- Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover St trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal t) 20mm dia C.P. Concealed stop cock Unit 1 1) 20mm dia C.P. Concealed stop cock Unit 1 1) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange J) Soago dish J) Corner shelf J) Corner shelf Unit 2 J) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste arrangement J) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste arrangement			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
600mm x 600mm/ 400mm x 800mm with application of cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. (Gold Category, Digital Prints Matching Floor Tile, (Premium Quality) Qty same as in item No-14 - sqm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cook with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock i) 1 Somm diaover head shower j) Sopa dish k) Glass shelf unit l) Some Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf unit l) Corner shelf unit l) Corner shelf unit l) Corner shelf unit l) Corner shelf unit l) 10 Corner shelf unit l) 10 Corner shelf unit l) 2 unit l) 10 Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel l) 15 Song bowl steel Sink (size of 24" x 18" x l) '') with 1mm thick with waste	20	Supplying all materials, labour,T&P for fittings,				
application of cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. (Gold Category, Digital Prints Matching Floor Tile, (Premium Quality) Qty same as in item No-14 - Supplying all materials, labour, T&P for fittings, fixing of digital ceramic wall tile of size 300mm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - Sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover Strap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal Unit 1 f) 20mm dia C.P. Concealed stop cock Unit 1 g) Telephonic Shower h) 150mm diaover head shower Unit 1 shape for Wall Mounted Showers with Flange j) Soap dish Unit 2 m) Towel ring Unit 1 p) Corner shelf Unit 2 m) Towel ring Unit 1 p) Corner shelf Unit 2 q) 15mm dia C.P. Pillar Cock Unit 1 p) 15mm dia C.P. Pillar Cock Unit 1 p) 5° C.P. Grating Unit 2 q) 15mm dia C.P. Pillar Cock Unit 1 p) 15mm dia C.P. Pillar Cock Unit 2 p) 5° C.P. Grating Unit 2 q) 15mm dia C.P. Pillar Cock Unit 1 p		fixing of jointless ceramic Floor tile of size				
application of cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. (Gold Category, Digital Prints Matching Floor Tile, (Premium Quality) Qty same as in item No-14 - Supplying all materials, labour, T&P for fittings, fixing of digital ceramic wall tile of size 300mm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover Strap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal Unit 1 f) 20mm dia C.P. Concealed stop cock Unit 1 g) Telephonic Shower h) 150mm dia och Concealed stop cock Unit 1 g) Telephonic Shower h) 150mm dia och Pollar Cosk Unit 1 shape for Wall Mounted Showers with Flange j) Soap dish Unit 1 n) Decorative Mirror Unit 1 o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating Unit 2 q) 15mm dia C.P. Pillar Cock 1) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste		600mm x 600mm/ 400mm x 800mm with				
adhesive bed of required thickness 10mm and filling the joints with epoxy grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. (Gold Category, Digital Prints Matching Floor Tile, (Premium Quality) Qty same as in item No-14 - sqm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock g) Telephonic Shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish l) Corner shelf unit v) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock 10 yith 1 mm thick with waste		1				
filling the joints with epoxy grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. (Gold Category, Digital Prints Matching Floor Tile, (Premium Quality) Oty same as in item No-14 - sqm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoli grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit 1 20 Telephonic Shower ii) 150mm diaover head shower ii) 150mm diaover head shower ii) 150mm diaover head shower iii) 150mm diaover head shower iii) 150mm diaover head shower Unit 1 ii) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange ii) Soap dish Volnit 2 iii) Corner shelf Vonit 2 iii) 1 Unit 1 iii) Corner shelf Vonit 2 iii) 1 Unit 1 iii) 2 C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grafting ii) 15mm dia C.P. Pillar Cock 10" Viit 1 Unit 10" Viit 1 1 Unit 11" Viit 1 1 Unit 12" Viit 1 1 Unit 13" Visingle Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste						
quality etc. all complete as per specification and direction of Engineer-in-charge. (Gold Category, Digital Prints Matching Floor Tile, (Premium Quality) Qty same as in item No-14 - sqm Qty same as in item No-14 - sqm X 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoli grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm Quality) Qty same as in item No-15 - sqm Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock g) Telephonic Shower y) Telephonic Shower 1) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish l) Corner shelf u) Decorative Mirror u) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste						
and direction of Engineer-in-charge. (Gold Category, Digital Prints Matching Floor Tile, (Premium Quality) Qty same as in item No-14 - sqm 13.77 21 Supplying all materials, labour,T&P for fittings, fixing of digital ceramic wall tile of size 300mm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. concealed stop cock i) Telephonic Shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Line Steel j) Corner shelf m) Tower Iring n) Decorative Mirror i) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
Category, Digital Prints Matching Floor Tile, (Premium Quality) Oty same as in item No-14- Supplying all materials, labour, T&P for fittings, fixing of digital ceramic wall tile of size 300mm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Oty same as in item No-15- Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit f) 20mm dia C.P. Concealed stop cock John to 1 i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish John to 1 j) Corner shelf unit 1 j) Corner shelf unit 2 k) Glass shelf Unit 1 j) Corner shelf unit 1 j) Corner shelf unit 1 j) Corner shelf unit 1 j) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste						
CPremium Quality City same as in item No-14 - sqm 13.77		, , , , , , , , , , , , , , , , , , , ,				
21 Supplying all materials, labour, T&P for fittings, fixing of digital ceramic wall tile of size 300mm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Quality) Qty same as in item No-15-Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Init 1 g) Telephonic Shower Unit 1 h) 150mm diaover head shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf Unit 2 m) Towel ring n) Decorative Mirror Unit 1 n) Decorative Mirror Unit 1 p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock T) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste						
Supplying all materials, labour, T&P for fittings, fixing of digital ceramic wall tile of size 300mm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock y) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Lunit j) Soap dish k) Glass shelf unit o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste						
fixing of digital ceramic wall tile of size 300mm x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm 30.96 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock li f) 20mm dia C.P. Concealed stop cock li Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf l) Corner shelf l) Corner shelf Unit l) Posor G.P. Grating Unit l) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste			sqm	13.77		
x 600mm with application of polymer modified cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Oty same as in item No-15 sqm Other in the No	21	Supplying all materials, labour,T&P for fittings,				
cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm Qubit 1 - left No-10		fixing of digital ceramic wall tile of size 300mm				
cement base water resistant adhesive bed of required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm Qubit 1 - left No-10		x 600mm with application of polymer modified				
required thickness 10mm and filling the joints with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm 30.96 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange Unit 1 c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal Unit 1 f) 20mm dia C.P. Concealed stop cock Unit 1 g) Telephonic Shower h) 150mm diaover head shower Unit 1 i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit 1 j) Soap dish Unit 1 l) Corner shelf Unit 2 m) Towel ring Unit 1 n) Decorative Mirror Unit 1 o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating Unit 2 r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste						
with epoxy / kerakoll grout of approved quality etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm Quality Qty same as in item No-15 - sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock g) Telephonic Shower Unit h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit Shape for Wall Mounted Showers with Flange j) Soap dish Unit 1 Unit 2 m)Towel ring n) Decorative Mirror O.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
etc. all complete as per specification and direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15- 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf u) Corner shelf i) Corner shelf u) Corner shelf u) Corner shelf u) Dicorrative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste		,				
direction of Engineer-in-charge. Gold Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover Strap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower h) 150mm diaover head shower with Shape for Wall Mounted Showers with Flange j) Soap dish Unit C) Hont Shape for Wall Mounted Showers with Flange j) Soap dish Unit Unit C) Hont 2 C) Hont 1 C) P. Single Towel Rail 600mm long Stain less steel D) 5" C.P. Grating Q) 15mm dia C.P. Pillar Cock T) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
Category, Digital/Digital High lighter (Premium Quality) Qty same as in item No-15 - sqm Qty same as in item Supply of all point of the particular square squa		, , , , , , , , , , , , , , , , , , , ,				
Quality) Qty same as in item No-15 - sqm 30.96 22 Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap 1 b) Two Way Bib Cock with Wall Flange Unit 1 c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. 1 d) Angle stop cock Unit 1 f) 20mm dia C.P. Concealed stop cock Unit 1 f) 20mm dia C.P. Concealed stop cock Unit 1 g) Telephonic Shower Unit 1 h) 150mm diaover head shower Unit 1 i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange 1 j) Soap dish Unit 2 k) Glass shelf Unit 1 l) Corner shelf Unit 2 m) Towel ring Unit 1 n) Decorative Mirror Unit 1 o) C.P. Single Towel Rail 600mm long Stain less steel 1 p) 5" C.P. Grating Unit 2 q) 15mm dia C.P. Pillar Cock 10" with 10" with 1 mm thick with waste 10"		9				
Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock g) Telephonic Shower unit i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf unit 1) Corner shelf m) Towel ring unit o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
Supplying all materials, labour T&P and fitting and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit k) Glass shelf Unit 1) Corner shelf m) Towel ring n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste						
and fixing of following water supply and sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf unit l) Corner shelf m) Towel ring n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste			sqm	30.96		
sanitary installation fittings with supply of all jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock y) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit l) Corner shelf Unit n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste	22	• • • • • • • • • • • • • • • • • • •				
jointing materials including dismantling old materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf Unit l) Corner shelf m) Towel ring n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
materials complete as per the specification and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange Unit 1 c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock Unit 2 e) W.H. basin with full pedestal Unit 1 f) 20mm dia C.P. Concealed stop cock Unit 1 g) Telephonic Shower Unit 1 h) 150mm diaover head shower Unit 1 i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange 1 j) Soap dish Unit 2 k) Glass shelf Unit 1 l) Corner shelf Unit 1 n) Decorative Mirror Unit 1 n) Decorative Mirror Unit 1 p) 5" C.P. Grating Unit 2 q) 15mm dia C.P. Pillar Cock Unit 1 r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
and direction of the Engineer in charge. a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish K) Glass shelf Unit l) Corner Shower Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste		jointing materials including dismantling old			•	
a) EWC set of size (710mm x 370mm x 770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange Unit 1 c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal Unit 1 f) 20mm dia C.P. Concealed stop cock Unit 2 g) Telephonic Shower Unit 1 h) 150mm diaover head shower Unit 1 i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit 2 k) Glass shelf Unit 1 l) Corner shelf Unit 2 m) Towel ring Unit 1 n) Decorative Mirror Unit 1 n) Decorative Mirror Unit 1 p) 5" C.P. Single Towel Rail 600mm long Stain less steel p) "C.P. Grating Unit 2 q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1 mm thick with waste		materials complete as per the specification				
770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange C) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock E) W.H. basin with full pedestal Ditt Ditt Ditt Ditt Ditt Ditt Ditt Dit		and direction of the Engineer in charge.				
770mm) (CRUSE) with CRUSE Duroplast seat cover S trap b) Two Way Bib Cock with Wall Flange C) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock E) W.H. basin with full pedestal Ditt Ditt Ditt Ditt Ditt Ditt Ditt Dit		a) EWC set of size (710mm x 370mm x	Unit			
seat cover S trap b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit l) Corner shelf Unit l) Corner shelf Unit l) Corner shelf Unit l) Corner towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste		770mm) (CRUSE) with CRUSE Duroplast				
b) Two Way Bib Cock with Wall Flange c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower Unit h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit l) Corner shelf Unit l) Corner shelf Unit n) Decorative Mirror O C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste				1		
c) Hand Shower (Health Faucet) with 8mm dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit l) Corner shelf Unit l) Decorative Mirror Unit l) Directive Mirror Unit l) Unit lo) C.P. Single Towel Rail 600mm long Stain less steel l) Directive Mirror Unit lo) C.P. Grating Unit lo) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste			Unit			
dia 1m long flexible tube & wall hook. d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit l) Corner shelf Unit l) Corner shelf Unit n) Decorative Mirror Of C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste				•		
d) Angle stop cock e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit l) Corner shelf Unit l) U		,	Offic			
e) W.H. basin with full pedestal f) 20mm dia C.P. Concealed stop cock Unit g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Li) Corner shelf Unit l) Corner shelf m) Towel ring n) Decorative Mirror O C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
f) 20mm dia C.P. Concealed stop cock g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf l) Corner shelf m) Towel ring n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste			~~~~			
g) Telephonic Shower h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf l) Corner shelf u) Corner shelf n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
h) 150mm diaover head shower i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish Unit l) Corner shelf Unit l) Corner shelf Unit l) Corner shelf Unit l) Occorative Mirror Unit l) Occorative Mirror Unit less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste				1		
i) Shower Arm Casted 190mm Long Flat Shape for Wall Mounted Showers with Flange j) Soap dish k) Glass shelf Unit l) Corner shelf Unit n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste			Unit	1		
Shape for Wall Mounted Showers with Flange j) Soap dish Unit 2 k) Glass shelf Unit 1 l) Corner shelf Unit 2 m) Towel ring Unit 1 n) Decorative Mirror Unit 0) C.P. Single Towel Rail 600mm long Stain less steel 1 p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste			Unit	1		
Shape for Wall Mounted Showers with Flange j) Soap dish Unit 2 k) Glass shelf Unit 1 l) Corner shelf Unit 2 m) Towel ring Unit 1 n) Decorative Mirror Unit 0) C.P. Single Towel Rail 600mm long Stain less steel 1 p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste		i) Shower Arm Casted 190mm Long Flat	Unit		· · · · · · · · · · · · · · · · · · ·	
Flange j) Soap dish k) Glass shelf l) Corner shelf m) Towel ring n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
j) Soap dish k) Glass shelf Unit 1 l) Corner shelf Unit 2 m) Towel ring Unit 1 n) Decorative Mirror Unit 0) C.P. Single Towel Rail 600mm long Stain less steel 1 p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste				1		
k) Glass shelf I) Corner shelf Unit m) Towel ring n) Decorative Mirror O) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste			Unit			
I) Corner shelf m) Towel ring Unit 1 n) Decorative Mirror Unit 0) C.P. Single Towel Rail 600mm long Stain less steel 1 p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
m) Towel ring Unit 1 n) Decorative Mirror Unit 1 o) C.P. Single Towel Rail 600mm long Stain less steel 1 p) 5" C.P. Grating Unit 2 q) 15mm dia C.P. Pillar Cock Unit 1 r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
n) Decorative Mirror o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
o) C.P. Single Towel Rail 600mm long Stain less steel p) 5" C.P. Grating q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
less steel p) 5" C.P. Grating unit 2 q) 15mm dia C.P. Pillar Cock r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
p) 5" C.P. Grating Unit 2 q) 15mm dia C.P. Pillar Cock Unit 1 r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste			Unit			
q) 15mm dia C.P. Pillar Cock Unit t) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
r) Single Bowl steel Sink (size of 24" x 18" x 10") with 1mm thick with waste						
10") with 1mm thick with waste			Unit	1		
· · · · · · · · · · · · · · · · · · ·						
arrangement Set 1		,				
		arrangement	Set	1		

23	Supplying fiting fixing soilid PVC flush door 25mm thick leafed with PVC baton of size 25x11mm on all four sides and core of the flush door filled with high density polyurethene foam (PUF) and hinges side of the foor reinforced with 19x19mm MS tube and special polymenic reinforcement to take up tnecessary hardware and fixtures including PVC door frame of code DWUF 405 and hinges side of the door frame reinfored with solid PVC bar			
24	1 x 1.80m x 0.90m	sqm	1.62	
24	Supplying fitting fixing laying following SWR PVC pipes & fittings including jointing with rubber ring to wall with supply of nails, bobbins wall plug and cutting the pipes to length and wastage including supply of all materials T&P along with jointing materials, testing the pipe line as per P.H. specification and direction of Engineer-in-charge.		·	
	a) 110mm OD PVC SWR S/S Pipe (ISI			
	type-A)	metre	22.00	
	b) 110mm dia S.W.R. P.V.C. Plain bend.	Unit	8	 ***************************************
	c) 110mm S.W.R P.V.C P Trap	Unit	1	
	d) 110mm dia. PVC SWR pipe Clips	Unit	20	

LIST OF APPROVED MATERIALS (CIVIL)

Note:

- 1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
- 2. Whenever the specified brand of material is not available than, the Officer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction

SI	Material Name	Brand/Manufacturer	
1	AAC Block	Aerocon, Siporex, Ultratech, Ecolite, Concrelite, J.K. Laxmi (Cement Ltd.), BILTECH, Kansal, Dlite Blocks	
2	AAC Block Adhesive	Ferrous crete(Ferro-1188), ARDEX ENDURA (White Star), Ultratech (Fixed-Block)	
3	Acrylic Distemper, Emulsion, Synthetic Enamel Paint and Primer	Asian Paints, ICI Dulux, Berger, Nerolac	
4	Aluminium Composite Panel	Alpolic, Aluco Bond, Reynobond, Euro bond, Alstrong	
5	Aluminium Extrusions	Hindalco, Indalco, Jindal	
6	Aluminum Sections	Jindal, Hindalco, Indalco	
7	Annealed Float Glass	Saint Gobain, Modi Guard, Asahi	
8	ANTI-TERMITE CHEMICALS	CHLOROPYROPHOS,EMULSIFIABLE CONCENTARATES	
9	Bitumen	Indian Oil, Hindustan Petroleum, Bharat Petroleum	
10	BRICKS	CC SOLID BLOCKS /GOOD QUALITY RED BRICKS	
11	Calcium Silicate Board / Tiles	Aerolite, Hilux, Starpan	
12	CC Pavers / Grass Pavers	Nitco, Hindustan, Ultra, KJS Concrete, Duracrete, Mehtab Tiles, Kaptim	
13	Centrifugally Cast Iron Pipe & Fittings	NECO, SKF, BIC, RIF, KAPILANSH, HIF	
14	Ceramic Tiles	Kajaria, Nitco, Orient Bell, Johnson, RAK Ceramics	
15	Chequered / Tactile Tiles	Dura, Eurocon, Modern, Hindistan, Johnson, Eavison	
16	CI Double flanged non-return valves	Kirloskar, Sant, Kartar	
17	CI Manhole Cover	BIC, SKF, NICO, Hepco, Kapilansh, RIF	
18	CP fittings	Jaquar, Marc, Kohler, Grohe	
19	CPVC Pipes & Fittings	Astral Flowguard, Ashirvad, Prince, Supreme, Finolex, VECTUS	
20	Curtain Carrier / Drapery Rod	Marvel, Vista levlor, Johnson.	
21	Dash fastener, Expansion Bolt	Hilti, Bosch Fischer	
22	Ductile Iron Pipe (Water Supply)	Electro steel, Kesso, KDUPL, Electro Spun	
23	EPDM Gasket	Hanu, Anand, Lescuyer	
24	Epoxy Adhesive	FOSROC, Aquomix , Choksey, BAL-ENDURA, MYK Laticrete	
25	Epoxy Grouting Compound	Pidilite, Ferrous Crete(Ferro-102), MYK LATICRETE, Fosrock	
26	Epoxy Primer & Paints	Berger, Pidilite, CICO, BASF, SIKA, Fosrock	
27	False Ceiling	Armstrong, Dexune, Aerolite	
28	Fire Check door	Navair, Godrej, Shakti	
29	FIRE RESISTANT DOORS	SHAKTI MET DOOR, AHLADA	
30	Float Glass Mirror	Modifloat, Saint Gobain, Asahi	
31	Float glass panes	Modi, Saint Gobain	
32	Flush Doors (ISI Mark only)	Century, Kitlam, Archid, Greenply, Marino, Duro, Gujcon	
33	Friction Stay	Earl-Bihari, Geze, Hettich, Securistyle	
34	Galvanized/Stainless Steel Anchor	Shakti, Arrow, Hilti, Fischer	

	Fasteners	
35	GI Pipe & fittings	Tata, Zenith, Jindal, Prakash Surya, Swastik; (ISI Marked only)
36	GI Sheet	Sail, TATA, Jindal or equivalent
37	Glass Mosaic Tile	Bisazza, Italia, Palladio, Mridul
38	GRC / Tactile Tile	Unistone, Eurocon, Dazzle
39	Gun Metal Gate Valve	Zoloto, Leader, SANT, Prima
40	Gypsum Board (False Ceiling)	Boral Gypsum, India Gypsum, St. Gobain
41	Hardener	Hardcrete of Snowcem India, Pidilite, CICO.
42	HDPE Pipes	VECTUS, Emco, Polyfins, Pioneer, Plyfab
	Hermitically sealed performance Glass &	Saint Gobain, Asahi, Pilington, Viracon (processed by
43	toughened glass	themselves by their approved processors)
44	Hydraulic Door closer, Floor springs	Dorma, Hettich, Hafele, Geze
45	Jet Assembly for EWC/Health Faucet	Parryware , Jaquar, Marc, PRIMA(ISI)
	·	Sintex, Tirupati Structurals Ltd, KMS Plast world P.Ltd. Planet
46	Kitchen loft tank	Plastics, Sri Kamakshi Traders, Sreyah Novel InC.
47	Laminate and Veneers	Merino, Greenlam, Kitlam, Duro
48	Locks / Latch	Godrej, Harrision, Dorma, Doorset (ISI)
49	M.S. Pipe (Railing)	Jindal, Tata, RINL, Prakash Surya
50	M.S. Tubes	Tata, Apolo, Prakash Surya
51	Marine Plywood / BWP Ply	Duro, Century, Greenlam
52	Melamine Polish	Asian Paints, Pidilite, ICI Dulux, Burger
53	Metal False Ceiling	Nitobond, Armstrong, Trac, Durlum, Lafarge, Anutone
54	Mineral Fibre/ GRG Ceiling	Armstrong, Daiken, Anutone, Diamond, Credence
	Multicoat Synthetic Plaster/ Textured	Armstrong, burken, Andtone, blamond, creatine
55	Exterior wall paint	Spectrum, Heritage, Ultratech
56	Oil Bound Distemper	Nerolac , Berger (Bison Acrylic), Asian Paints (Tractor Acrylic), ICI.
		ACC, Ultratech Cement Ltd., Gujarat Ambuja, Vikram, Birla,
57		JK Cement, JP Associates, Shree Cement Ltd., J.K. Lakshmi,
	Ordinary Portland/Portland Pozzolona	M/s Binani Cement. M/s Khyber Industries Pvt. Ltd., M/s
	Cement (Grey) (43 Grade)	Jammu & Kashmir Cement Ltd., Khrum Cement works
58	Plywood, Block Board	Greenply, Century, Duro
59	Polycarbonate Sheet	Danpalon (DPI), Bayer, Macrolux
60	Polysulphide / Silicon Sealent	Pidilite, Fosroc, Tuffseal, Chouksey Chemicals, Perma, BASF
61	POP (Plaster of paris)	JK, Laxmi, Sriram Nirman, Sakarni
62	PPR Pipes	SFMC, SAFE, Poineer Industries
63	Precast CC interlocking Tiles	Hindustan, Paver India, KK
64	Precoatd Profile Sheet	Tata, Bhushan or equivalent
65	Pre-laminated Particle Board	Ecoboard, Action-Tesa, Duro, Century Ply, Greenlam, Albihari
		M/s Engineers & Fabricator, Raipur, M/s J.K. Enternprises, Jaipur, M/s Jangid Engineering Works, Jaipur, M/s Swastik
66	Pressed steel door frame	Super Industries, Mohali, M/s SKS Steel Industries, New
		Delhi.
67	PTMT Fittings	Prayag, Polytuf, Pearl, Millennium, PRIMA
68	PVC Cistern	Steelbird, Jindal, Seabird, Prayag, Commander
69	PVC Connection Pipe	Supreme, Prince, Finolex
70	PVC Rain Water Pipe & Fitting	Finolax, Kisan, Kasta, Supreme, Astral, Prince
71	PVC Shutter	Polygreen, Rajshri, Plastogreen, Sintex
		VECTUS, Water well, Plasto, Polycon, Sintex. (Weight as per
72	PVC Water storage Tank (Only ISI)	ISI)

73	Ready Mix Concrete (RMC)	Lafarge, Alchon, ACC, L&T, Grasim, Ultratech, RMC India
74	Ready Mix plaster	Ultratech, Precisecon Chem, Perma, Ferrous Crete, JK, Fosrock,
75	Reinforcement Steel	SAIL, Tata Steel, RINL, Jindal Steel and Power Ltd., JSW Steel Ltd
76	SAND	RIVER SAND
77	Sluice Valve	Kirloskar, Venus, Kalpaṇa, SANT, KARTAR, Zolto
78	Solid PVC frames and shutters	Polygreen, Rajshri, Plastogreen, Sintex
79	Stainless Steel	Jindal, Salem or equivalent
80	Stainless steel Door/Window fittings & Fixtures	Dorma, Ozone, D-Line, Hettich, Kich, Geze
81	Stainless steel Sink with or without Draining board.	Nirali, Hindware, Frankee, Neelkanth, Jaquar
82	Steel/Wood Primer	ICI, Nerolac, Berger, Asian Paints
83	Structural steel section	TATA, SAIL, RINL, Jindal, VST
84	Super plasticizer / admixture	Sika, Fosroc, Chouksey Chemicals, BASF
85	Tensile Fabric	Bluestone, Encon, Structure Flex
86	Tile Adhesive	Ferrous Crete(Ferro-1122), Ardex Endura (Gold Star), PIDILITE (Fevimate XL), WEABR(Saint-Gobin) Sika, Thermoshield, Somany
87	Tile Adhesive	Cico, Pidilite, Ferrous
88	Towel Ring/Towel Rod/Towel Rack	Marc, Jaquar, Kolher, Grohe
89	Tubular steel Window, ventilator, Door frame	M/s Engineers & Fabricator, Raipur, M/s J.K. Enterprises, Jaipur, M/s Swastik Super Industries, Mohali (Punjab) M/s Jangid Engg. Jaipur
90	UPVC Pipes & Fittings	Astral Flowguard, Ashirvad, Prince, Supreme, Finolex, VECTUS, FENESTA, NCL, VEGA
91	Urinal, Washbasin, Orrisa Pattern W.C., Wall mounted European W.C.Seat with Cistern	Hindware, Parryware, Jaquar, Cera, Kolher, Grohe
92	Veneered Ply/ Particle Board	Novapan, Kitply, Anchor, National, Archidply, Action TESA, Durian, Green Ply, Euro
93	Vitrified Tile	Johnson - Marbonite, Somany, Kajaria, Orient Bell, NITCO, RAK
94	Wall Putty	JK, BIRLA, SARAPUTTY
95	Waste Pipe	Kamal, Viking, Jaquar
96	Water Proofing Compound (Liquid)	Pidilite, Cico, Impermo
97	White Cement	JK White, Birla White, Grasim

LIST OF APPROVED MATERIALS (ELECTRICAL)

SL	ITEMS	BRAND NAME
1	MCCB/MCB/RCCB/MCB/DB	L&T/SIEMENS/ SCHNEIDER/ ABB /LEGRAND/HAVELLS
2	HT/LT CABLES	L&T/UNIVERSAL / FINOLEX / POLYCAB / HAVELLS
3	CABLE GLANDS	HAX/DOWELLS/HMI/BRACO/COMET/
4	CABLE LUGS	DOWELL/3D/JAINSON
5	CHANGE OVER SWITCH	HPL/L&T/C&S
6	INDICATING METERS	L&T/AE/IMP/MECO/CONZERV
7	RELAYS	L&T/ GE/TELEMECANIQUE/AREVA
8	CT'S RESIN-CAST	KAPPA/IMP/AE/KALPA
9	SELECTOR SWITCHES	L&T/SIEMENS/KAYCEE

10	FOLCIMIDEC	DD MADEL /FINIOLEY/DOLYGAD /LOT/LLOVELLO/WEL
10	FRLS WIRES	RR KABEL/FINOLEX/POLYCAB/L&T/HAVELLS/KEI
11	MODULAR SWITCHES	ANCHOR/LEGRAND/HONEYWELL/HAVELLS/SCHNIDER
12	PVC CONDUITS	VIP/PRECISION/ATUL/SUDHAKAR/MODI
13	CASING / CAPPING	CLASSIC/ MODI/SUDHAKAR
14	LIGHT FITTINGS	PHILIPS / CROMPTON/ WIPRO/ HAVELLS
15	EXHAUST FANS	CROMPTON/ GEC/ARMONALD/HAVELLS
16	CEILING FANS	CROMPTON/HAVELLS/ BAJAJ/ USHA
17	ACB	L&T/SIEMENS/ SCHNEIDER/ ABB
18	CONTACTORS	L&T/SIEMENS/ SCHNEIDER/ ABB
19	CABLE TRAY	STELCO/STEELWAYS/SLOTCO/PILCO
20	BUS BAR SUPPORT SYSTEM(SMC SHEETS)	POWERMAT/L&T/C&S/LEGRAND
21	BUS BAR TAPING BOX	SIEMENS/SCHNEIDER/ABB/C&S
22	M S CONDUITS	BHARAT / ZINDAL/
23	CAPACITOR BANKS	SCHNIDER/L&T/LEGRAND/EPCOS
24	CAT-6/TELEPHONE CABLES	D-LINK/FINOLEX/POLYCAB/LEGRAND/SKYTONE
25	LAN SWITCHES I/O PORT	CISCO/D-LINK/ JUNIPER/LEGRAND
26	NETWORK RACK	D-LINK/VALRACK/NETRACK/EMERSON

CHECK LIST FOR EVALUATION OF TECHNICAL BID

SI. No	Parameters/ Documents to be attached	Included (Yes/No)	Reference Page no. in the
1.	Details of the firm (Annexure-IV)		
2.	Certificate of Registration of the firm & the license for operating		
	Services as per applicable Rules/ Act.		
3.	Copy of at least three work orders completion certificate each	:	
	amounting not less than Rs. 5 Lakh in the field of providing such services		
	as per the tender in Central Govt. establishments/Autonomous bodies		
	of Govt. of India/ Corporations of Govt. of India/reputed public or		
	private organizations', etc.		
4.	Copy of EPF registration certificate issued by concerned authorities		
5.	Copy of ESI registration certificate issued by concerned authorities.	***************************************	
6.	List of labours registered under ESI & EPF should be enclosed		
	separately. A documentary proof of latest vouchers / challans is		
	required to be attached.		
7.	Copy of registration certificate with the Contract Labour (Regulation		
	and Abolition) Act, 1970 along with LIN otherwise the contractor shall		
	obtain the labour license under this Act within 30 days from the date of		
	issue of the work order. However, registration with appropriate		
	authority under Contract Labour (Regulation and Abolition) Act, 1970 is mandatory.		
8.	Whether the firm has any legal suit/ criminal case pending against it for		
0.	violation of PF/WCP/ESI, Minimum Wages Act or other law (give		
	details). The firm/ agency must enclose a certificate indicating that		
	there is no criminal/ legal suit pending or contemplated against it &		
	affidavit of non-blacklisting on non-judicial stamp paper of Rs. 10/- or		
	more		
9.	The firm has to be upload the Local Content Declaration & Self-		
	certification as per the Government of India Order towards Public		
	Procurement (Preference to make in India) vide Letter No. P-		
	45021/2/2017-PP (BE-II), (revised) Dated 16.09.2020 on non-judicial		
	stamp paper of Rs. 100/ -		
10.	Bid Undertaking (Annexure-V)		
11.	Tender Acceptance Letter (Annexure-VI)		
12.	As per current Government orders, in lieu of bid security, bidders must		
	furnish Bid Securing Declaration (BSD) as 'Form7: A self-attested scan of		
	the Original Form7 should be uploaded along with bids. Bids not		
	complying with these provisions shall be rejected (Annexure-VII).		

Detail of the Agency/firm/contractor

1. Name the Proprietor of Contractor/ Firm/ Agency:
2. Name & address of Firm/Agency/Contractor:
M/S
3. (a) Telephone No.: Off Res Mobile No
(b) E-mail ID:
4. Particulars of firm/agency/company:
(Partnership Deed/ Constitution in case of Society)
5. Registration certificate of the firm under the work contract of the Central Govt./State govt. (Indicate no.):
6. Income Tax P.A.N. Number:
7. Service Tax Number/GST IN (Allotted by CED):
8. Bank's name & address:
IFSC Code: Account No.
(For right information attaché a photo-copy of cancelled cheque)
9. ESI registration No.:
10. EPF registration no.:

Signature of Proprietor/ representative of the firm with seal

BID UNDERTAKING

1.	l/we,		
	son/ daughter/ wife of Shri son/ daughter/ wife of Shri Proprietor/Director/authorized signatory of the		
	Company/Firm mentioned above, is competent to sign this declaration and execute this tender document.		
2.	I/we have carefully read and understood all the terms and conditions of the tender and undertake to abide to them.		
3.	The information/documents furnished along with the above tender form are true and authentic to the best of my knowledge and belief. I am well aware of the fact that furnishing of any false information/fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law.		
4.	There is no vigilance/CBI case or court case pending against the firm.		
5.	This is to declare & certify that the neither myself nor my firm has ever been blacklisted by any Govt./Semi Govt./Public/Private Intuition during the past 3 years.		
ace: ate:			
	Signature &		

Name of the authorized Signatory
with Seal of the Firm

TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

11	-	•	^	
IJ	•	ı.	۳.	i

Full Name of the tenderer		F-948400
Addraga	:	
Address:-		
Talambana Na		
Telephone No.		
Email:		
То		
The Director,		
ICAR – Central Institute for N Bhubaneswar -751003 (Odis	•	
Sir,	,	
	ne particulars regarding	g the general information and other terms and conditions
in the Limited Tender Notice	e for	and agree to provide the services as detailed in schedule
herein or to such portion th	iereof as you may spe	cify in the acceptance of the tender at the rates given in
schedule attached to this ter	nder and I/we agree to	hold this offer open till 180 days. The rates quoted will be
valid for a period of one	year in the event of	f award of the Contract. I $\!\!\!/$ we shall be bound by a
communication acceptance	dispatched within the p	prescribed time.
2. I/we have understood the	terms and conditions f	or the contract and shall provide the best services strictly
in accordance with these rec	luirements.	
3. The following pages have	been added to and forr	n a part of this Tender
4. Every page so attached wi	th this tender bears my	signature and the official seal.
		Signature & Seal of Tenderer with date
		Name & Signature of witness
		Address

Bid Securing Declaration

(On Company Letter-head)

Bidder's	s Name :		
[Addres	ss and Contact Details]		
Bidder's	s Reference No		
Date: _			
To,			
	ector, entral Institute for Women in Agriculture eswar – 751003.		
Ref.: Lir	mited Tender Enquiry for at ICAR-CIV	VA, Bhubaneswar.	
Sir/Mac	dam,		
	We, the undersigned, solemnly declare that:		·
stand a	We understand that according to the conditions of discurring Declaration in lieu of Bid Security. We unconditionally accept the conditions of this nutomatically suspended from being eligible for bine date of opening of this bid if we breach our obligative date of opening of this bid if we breach our obligative date of opening of this bid if we breach our obligative date of opening of this bid if we breach our obligative date of opening of this bid validity of the accepta. Refused to or failed to produce the original discourity within the stipulated time under the b. Fail or refuse to sign the contract. We know that this bid-Securing Declaration shall receipt by us of your notification	Bid Securing Declaration. We under in ICAR In adding in any tender in ICAR In ation(s) under the tender condition, from our bid, within the bid within the bid within the bid within the or or our bid by ICAR-CIWA: ocuments for scrutiny or the reconditions of the Tender D	nderstand we shall stitutes for 2 years ions if we: ralidity; or quired Performance ocuments.
	 c. of cancellation of the entire tender process o d. of the name of the successful bidder or e. Forty-five days after the expiration of bid vali 	•	
		(9	ignature with date)
		(Nar	ne and designation)
Duly au	uthorized to sign bid for and on behalf of	·····	
[Name	& address of Bidder and seal of company]		
Dated o	on day of	[insert date of sign	ing]
Place_	[in	sert place of signing]	